NO.68614

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

| Date of filing in State Engineer's Office | MAR 11 2002 | |
|---|-------------|------------------|
| Returned to applicant for correction | MAR 27 2002 | |
| Corrected application filed | | m a . |
| Map filed | MAR 29 2002 | |
| ****** | | |

The applicant Marlene Ettl, hereby makes application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Permit No. 65215

- 1. The source of water is Underground
- 2. The amount of water to be changed 1.08 cfs
- 3. The water to be used for Irrigation and Domestic
- 4. The water heretofore permitted for Irrigation and Domestic
- 5. The water is to be diverted at the following point in the SE¼ of SE¼ of Section 17, T.3N., R.48E., M.D.B.&M., or at a point from which the SE corner of said Section 17 bears S. 45°00'E. a distance of 1810 feet.
- 6. The existing permitted point of diversion is located within SW¼ of SW¼ of Sectopm 9, T. 3N., R48E., M.D.B.&M., or at a point from which the W¼ corner of said section 9 bears N. 02°25'30"W. a distance of 1330.0 feet.
- 7. Proposed place of use Portions of W½ of SW¼ of Section 16, Portions of E½ of NE¼ of Section 20, and Portions of W½ of NW¼ of Section 21, T.3N., R.48E., M.D.B.&M., total of 176 acres.
- 8. Existing place of use E½ of SE¼ of Section 8; S½ of NW¼, SW¼ and W½ of SE¼ of Section 9; NW¼, W½ of NE¼, W½ of SE¼ and E½ of SW¼ of Section 16; E½ of NE¼ of Section 17, T.3N., R.48E., M.D.B.&M., 880 acres.
- 9. Use will be from ${\bf January}~{\bf 1}$ to ${\bf December}~{\bf 31}$ of each year.
- 10. Use was permitted from January 1 to December 31 of each year.
- 11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) **well, pump, pivot system, pipe lines needed.**
- 12. Estimated cost of works #30,000.00
- 13. Estimated time required to construct works 2 years
- 14. Estimated time required to complete the application of water to beneficial use ${f 4}$ years
- 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

By Ernest E. Muller, Sr. s/Ernest E. Muller, Sr.

| | 750 W. Pueblo St. |
|----------------|--|
| | Reno, NV., 89509 PGENT DEC 0 2 2002 WITHDRAWN EY APPLICANT |
| Compared jm/dl | WIIHDRAWN BY ATTROOPING |
| Protested | Influssi P.E. STATE ENGINEER |
| | SIAIE ENGINEER |
